NOTICE:

Prices and availability are subject to change without notice. Please contact Marlin Manufacturing before ordering for updated pricing.

CONNECTORS MINI CRIMPING TOOL, MISC. ACCESSORIES

Adapter Crimping Tools provide fast and easy installation of Plugs and Jacks to metal sheathed thermocouple wire. The hand held tool crimps the brass adapter for miniature connectors onto the metal sheath and eliminates the need to braze or solder. The tool is engineered to insure a positive crimp. Jaws cannot be reopened until the full crimp stroke has been made.

To install, strip sheath from cable to expose wires. Place crimp-on sheath adapter over sheath, hex end toward stripped wires. Position tool jaws over adapter and crimp.

DISCOUNT SCHEDULE "A"				
FACTOR				
NET				
.90				
.85				
.80				
.75				
.70				
.65				
.60				

DESCRIPTION	CODE NO.	*PRICE
Hand-Crimping Tool	1251	\$110.00

MINI HEX CRIMP-ON ADAPTERS

SHEATH OD	CODE NO.	PRICE	DISC. SCHED.
Blank	1275-Blank	\$0.40	
.020″	1275-020	1.20	
.040"	1275-040	0.40	A
1/16	1275-062	0.40	

DESCRIPTION	CODE NO.	PRICE	DISC. SCHED.
Elastomer Grommet Wire grip	1279	\$0.15	A

MINI WATER SEAL BOOTS

DESCRIPTION	CODE NO.	PRICE	DISC. SCHED.
Miniature Water Seal Boot	1291	\$1.10	A

Two Required for Connector Pair.

For use to 212°F (100°C), stiffens at -37°F (-35°C).


FULL SIZE WATER SEAL BOOTS

DESCRIPTION	CODE NO.	PRICE	DISC. SCHED.
Standard Water Seal Boot	1091	\$1.40	A

Two Required for Connector Pair.

Neoprene for use to 212°F (100°C), stiffens at -37°F (-35°C)





Hand Held Tool

1251

\$110.0

CONNECTORS MINI PLUGS AND JACKS

MINI PLUGS AND JACKS			400°F Continuous Ambient				800°F Contin	nuous Ambient	
THERMOCOUPLE TYPE	TYPE CODE	COLOR	PLUG CODE NO.	JACK CODE NO.	DISCOUNT	COLOR	HI TEMP PLUG CODE NO.	HI TEMP JACK CODE NO.	DISCOUNT
Iron Constantan	J	Black				Red	=		
Copper Constantan	Т	Blue				Red			
Chromel [™] Alumel [™]	к	Yellow				Red			
Nicrosil Nisil	N	Orange	1260-()	1210-()	A	Red	1360-()	1310-()	В
Chromel [™] Constantan	E	Violet	TYPE Code	TYPE Code		Red	TYPE Code	TYPE Code1	
Platinum 10% Rhodium	S	Green	\$2.65	\$3.30		Red	\$4.25	\$5.25	
Platinum 13% Rhodium	R	Green				Red			
Uncompensated (CU)	U	White				Red			
Tungsten 5% Re/W26% Re	С	Brown	\$3.65	\$4.30	В	Red	\$5.25	\$6.25	В

1.) Gold plated contacts are available at \$1.00 added to list price. Use suffix "G" (i.e. 1260-K-G)

Grommet Wire Grip					
Code No.	Size	\$/Each	Discount Schedule		
1279-030	.030″	0.15	A		
1279-062	.062″	0.15			
1279-090	.090″	0.15			

Option 1: Grommet is furnished with each connector at no cost. Give part number of desired size otherwise 1279-062 is furnished as the standard package.

M	ini Braze-c	n Adapter	
Code No.	Size	\$/Each	Discount Schedule
1277-000	blank	0.30	A
1277-040	.040″	0.30	
1277-062	.062"	0.30	
1277-090	.090″	0.30	
1277-125	.125″	0.30	


Option 2: Braze-on Adapter is furnished with each connector at no cost instead of grommets specified. Give part number of desired size.

Mir	Mini Hex Crimp Adapter				
Code No.	Size	\$/Each	Discount Schedule		
1275-000	blank	0.40	A		
1275-020	.020″	1.30			
1275-040	.040″	0.40			
1275-062	.062"	0.40			

Mini	Mini 2-Pole Crimp Adapter					
Code No.	Size	\$/Each	Discount Schedule			
1274-040	.040″	1.75	В			
1274-062	.062″	1.75				
1274-125	.125″	1.75				

Mini Wire Clamp			
Code No.	\$/Each	Discount Schedule	
1280	1.25	В	






Size







	DISCOUNT SCHEDULE "A"]	DISCOUNT SCHEDULE "B"	
	QUANTITY	FACTOR]	QUANTITY	FACTOR
	1-14	NET		1-14	NET
	15-49	.90		15-49	.90
	50-99	.85		50-99	.85
	100-249	.80		100-249	.80
	250-499	.75		250+	.75
	500-999	.70			
	1000-1999	.65			
	2000+	.60			
Prewired connector can be mounted on clamp with no reassembly					
SS wire clamp screws					

Threaded bottom plate (no loose nuts)

Nickel plated Steel construction

> MINI WIRE CLAMP Strain relieves fine wire as well as heavy insulated wire.

